Electroencephalography and clinical Neurophysiology, 85 (1992) 429–431
© 1992 Elsevier Scientific Publishers Ireland, Ltd. 0924-980X/92/$05.00

Index of Authors

VOLUME 85 (EMG & Motor Control), 1992

(Abstracts from Society Proceedings are not included)

Agostino, R., Hallett, M. and Sanes, J.N.
Antagonist muscle inhibition before rapid voluntary movements of the human wrist (85) 190
Alexeeva, N.L., see Kudina, L.P. (85) 243
Alexeeva, N.L., see Kudina, L.P. (85) 345
Allatt, R.D., see Hayes, K.C. (85) 102
Allatt, R.D., see Kasai, T. (85) 95
Amassian, V.E., Cracco, R.Q., Maccabee, P.J. and Cracco, J.B.
Cerebello-frontal cortical projections in humans studied with the magnetic coil (85) 265
Amassian, V.E., Eberle, L., Maccabee, P.J. and Cracco, R.Q.
Modelling magnetic coil excitation of human cerebral cortex with a peripheral nerve immersed in a brain-shaped volume conductor: the significance of fiber bending in excitation (85) 291
Andreassen, S., Falck, B. and Olesen, K.G.
Diagnostic function of the Microhuman prototype of the expert system — MUNIN (85) 143
Arendt-Nielsen, L., Gantchev, N. and Sinkjær, T.
The influence of muscle length on muscle fibre conduction velocity and development of muscle fatigue (85) 166
Arendt-Nielsen, L., see Sinkjær, T. (85) 412
Aulich, A., see Müller, K. (85) 86
Avoni, P., see Montagna, P. (85) 225

Balestra, C., Duchateau, J. and Hainaut, K.
Effects of fatigue on the stretch reflex in a human muscle (85) 46
Basser, P.J., see Nilsson, J. (85) 253
Basser, P.J., see Panizza, M. (85) 22
Benecke, R., see Meyer, B.-U. (85) 197
Berić, A., see Deletis, V. (85) 302
Bertolasi, L., see Ferbert, A. (85) 382
Bischoff, C., see Meyer, B.-U. (85) 197
Boniface, S.J., see Mills, K.R. (85) 17
Borg, E., see Counter, S.A. (85) 280
Branston, N.M., see Liu, X. (85) 209
Brasil-Neto, J.P., McShane, L.M., Fuhr, P., Hallett, M. and Cohen, L.G.
Topographic mapping of the human motor cortex with magnetic stimulation: factors affecting accuracy and reproducibility (85) 9
Brismar, T. and Ekenvall, L.
Nerve conduction in the hands of vibration exposed workers (85) 173
Browne, J.K., see Seyal, M. (85) 397
Brune, G.G., see Masur, H. (85) 321
Burke, D., Hicks, R., Stephen, J., Woodforth, I. and Crawford, M.
Assessment of corticospinal and somatosensory conduction simultaneously during scoliosis surgery (85) 388

Callea, L., see Ghezzi, A. (85) 248
Caramia, D., see Ferbert, A. (85) 382
Caruso, G., see Nilsson, J. (85) 253
Cevolani, D., see Lucchetti, C. (85) 220
Chokroverty, S., Walczak, T. and Hening, W.
Human startle reflex: technique and criteria for abnormal response (85) 236
Claus, D., see Spitzer, A. (85) 331
Cohen, L.G., see Brasil-Neto, J.P. (85) 9
Cohen, L.G., see Fuhr, P. (85) 53
Cohen, L.G., see Nilsson, J. (85) 253
Cohen, L.G., see Roth, B.J. (85) 116
Cohen, L.G., see Wassermann, E.M. (85) 1
Colosimo, C., see Di Lazzaro, V. (85) 311
Conrad, B., see Meyer, B.-U. (85) 197
Cortelli, P., see Montagna, P. (85) 225
Counter, S.A. and Borg, E.
Analysis of the coil generated impulse noise in extracranial magnetic stimulation (85) 280
Cracco, J.B., see Amassian, V.E. (85) 265
Cracco, R.Q., see Amassian, V.E. (85) 265
Cracco, R.Q., see Amassian, V.E. (85) 291
Crawford, M., see Burke, D. (85) 388

Dang, N., see Fuhr, P. (85) 53
Davey, K.R., see Weissman, J.D. (85) 215
Decchi, B., see Rossi, A. (85) 419
Deletis, V., Schild, J.H., Berić, A. and Dimitrijević, M.R.
Facilitation of motor evoked potentials by somatosensory afferent stimulation (85) 302
Delwaide, P.J., see Maertens de Noordhout, A. (85) 110
Denda, S., see Shimoji, K. (85) 72
Di Lazzaro, V., Restuccia, D., Colosimo, C. and Tonali, P.
The contribution of magnetic stimulation of the motor cortex to the diagnosis of cervical spondylotic myelopathy. Correlation of central motor conduction to distal and proximal upper limb muscles with clinical and MRI findings (85) 311
Dimitrijević, M.R., see Deletis, V. (85) 302
Dimitrijević, M.R., Kofler, M., McKay, W.B., Sherwood, A.M., Van der Linden, C. and Lissens, M.A.
Early and late lower limb motor evoked potentials elicited by transcranial magnetic motor cortex stimulation (85) 365
Dioszeghy, P. and Stålberg, E.
Changes in motor and sensory nerve conduction parameters with temperature in normal and diseased nerve (85) 229
Duchateau, J., see Balestra, C. (85) 46

Eberle, L., see Amassian, V.E. (85) 291
Ekenvall, L., see Brismar, T. (85) 173
Emori, T., see Saito, T. (85) 337
Epstein, C.M., see Weissman, J.D. (85) 215

Fahrendorf, G., see Masur, H. (85) 321
Falck, B., see Andreassen, S. (85) 143
Ferbert, A., Caramia, D., Priori, A., Bertolasi, L. and Rothwell, J.C.
Cortical projection to erector spinae muscles in man as assessed by focal transcranial magnetic stimulation (85) 382

Findley, T.W., see Fuhr, P. (85) 53
Fuchigami, T., see Saito, T. (85) 337
Fuhr, P., see Brasil-Neto, J.P. (85) 9
Fuhr, P., Cohen, L.G., Dang, N., Findley, T.W., Haghighi, S., Oro, J. and Hallett, M.
Physiological analysis of motor reorganization following lower limb amputation (85) 53
Fukuda, S., see Shimoji, K. (85) 72

Gambetti, P., see Montagna, P. (85) 225
Gantchev, N., see Arendt-Nielsen, L. (85) 166
Gantchev, N., see Sinkjær, T. (85) 412
Ghezzi, A., Callea, L., Zaffaroni, M. and Zibetti, A.
Motor potentials of inferior orbicularis oculi muscle to transcranial magnetic stimulation. Comparison with responses to electrical peripheral stimulation of facial nerve (85) 248

Haghighi, S., see Fuhr, P. (85) 53
Hainaut, K., see Balestra, C. (85) 46
Hallett, M., see Agostino, R. (85) 190
Hallett, M., see Brasil-Neto, J.P. (85) 9
Hallett, M., see Fuhr, P. (85) 53
Hallett, M., see Nilsson, J. (85) 253
Hallett, M., see Panizza, M. (85) 22
Hallett, M., see Roth, B.J. (85) 116
Hallett, M., see Valls-Solé, J. (85) 355
Hallett, M., see Wassermann, E.M. (85) 1
Hasegawa, A., see Saito, T. (85) 337
Haug, B.A., Schönle, P.W., Knobloch, C. and Köhne, M.
Silent period measurement revives as a valuable diagnostic tool with transcranial magnetic stimulation (85) 158
Hayes, K.C., Allatt, R.D., Wolfe, D.L., Kasai, T. and Hsieh, J.
Reinforcement of subliminal flexion reflexes by transcranial magnetic stimulation of motor cortex in subjects with spinal cord injury (85) 102
Hayes, K.C., see Kasai, T. (85) 95
Hening, W., see Chokroverty, S. (85) 236
Henriksen, O., see Vestergaard-Poulsen, P. (85) 402
Heyen, P., see Masur, H. (85) 321
Hicks, R., see Burke, D. (85) 388
Hokari, T., see Shimoji, K. (85) 72
Holmgren, H., Kadanka, Z. and Larsson, L.-E.
Transcranial cortical stimulation. Late excitability changes in the soleus and anterior tibial motoneurone pools (85) 374
Hömberg, V., see Müller, K. (85) 86
Hsieh, J., see Hayes, K.C. (85) 102
Hui-Chan, C.W.Y., see Levin, M.F. (85) 131

Ito, Y., see Uozumi, T. (85) 273

Jellinek, D.A., see Liu, X. (85) 209

Kadanka, Z., see Holmgren, H. (85) 374
Kamen, G., see Koceja, D.M. (85) 177
Kasai, T., Hayes, K.C., Wolfe, D.L. and Allatt, R.D.
Afferent conditioning of motor evoked potentials following transcranial magnetic stimulation of motor cortex in normal subjects (85) 95
Kasai, T., see Hayes, K.C. (85) 102
Kawauchi, M., see Liu, X. (85) 209
Knobloch, C., see Haug, B.A. (85) 158
Koceja, D.M. and Kamen, G.
Contralateral influences on triceps surae motoneuron excitability (85) 177
Kofler, M., see Dimitrijević, M.R. (85) 365
Köhne, M., see Haug, B.A. (85) 158
Krain, L., see Ross, M.A. (85) 42
Kudina, L.P. and Alexeeva, N.L.
After-potentials and control of repetitive firing in human motoneurones (85) 345
Kudina, L.P. and Alexeeva, N.L.
Repetitive doublets of human motoneurones: analysis of interspike intervals and recruitment pattern (85) 243
Kunze, K., see Pfeiffer, G. (85) 161

Lange, H.W., see Meyer, B.-U. (85) 197
Larsson, L.-E., see Holmgren, H. (85) 374
Leis, A.A., see Ross, M.A. (85) 42
Lenard, H.G., see Müller, K. (85) 86
Levin, M.F. and Hui-Chan, C.W.Y.
Relief of hemiparetic spasticity by TENS is associated with improvement in reflex and voluntary motor functions (85) 131
Lim, C.L. and Yiannikas, C.
Motor evoked potentials: a new method of controlled facilitation using quantitative surface EMG (85) 38
Lissens, M.A., see Dimitrijević, M.R. (85) 365
Liu, X., Branston, N.M., Kawauchi, M., Jellinek, D.A. and Symon, L.
Electrical stimulation of motor cortex in experimental cortical ischaemia: pyramidal responses at C_5 and the surface EMG (85) 209
Lucchetti, C. and Cevolani, D.
The effects of maturation on spontaneous eye movements in the macaque monkey (85) 220
Ludolph, A.C., see Masur, H. (85) 321
Lugaresi, E., see Montagna, P. (85) 225

Maccabee, P.J., see Amassian, V.E. (85) 265
Maccabee, P.J., see Amassian, V.E. (85) 291
Machetanz, J., see Meyer, B.-U. (85) 197
Maertens de Noordhout, A., Pepin, J.L., Schoenen, J. and Delwaide, P.J.
Percutaneous magnetic stimulation of the motor cortex in migraine (85) 110
Magistris, M.R. and Roth, G.
Motor axon reflex and indirect double discharge: ephaptic transmission? A reappraisal (85) 124
Marchello, L.P., see Montagna, P. (85) 225
Masuoka, L.K., see Seyal, M. (85) 397
Masur, H., Oberwittler, C., Fahrendorf, G., Heyen, P., Reuther, G., Nedjat, S., Ludolph, A.C. and Brune, G.G.
The relation between functional deficits, motor and sensory conduction times and MRI findings in syringomyelia (85) 321
Matsue, Y., see Saito, T. (85) 337
Mazzini, L. and Schieppati, M.
Activation of the neck muscles from the ipsi- or contralateral hemisphere during voluntary head movements in humans. A reaction-time study (85) 183
McIntosh, J.S., see Schmidt, E.M. (85) 61
McKay, W.B., see Dimitrijević, M.R. (85) 365
McShane, L.M., see Brasil-Neto, J.P. (85) 9
McShane, L.M., see Wassermann, E.M. (85) 1
Meyer, B.-U., Noth, J., Lange, H.W., Bischoff, C., Machetanz, J., Weindl, A., Röricht, S., Benecke, R. and Conrad, B.
Motor responses evoked by magnetic brain stimulation in Huntington's disease (85) 197
Mills, K.R., Boniface, S.J. and Schubert, M.
Magnetic brain stimulation with a double coil: the importance of coil orientation (85) 17
Mitchell, G., see Ross, M.A. (85) 42
Monari, L., see Montagna, P. (85) 225
Montagna, P., Cortelli, P., Avoni, P., Marchello, L.P., Monari, L., Tinuper, P., Gambetti, P. and Lugaresi, E.
Abnormal sympathetic skin responses in thalamic lesions (85) 225

Müller, K., Hömberg, V., Aulich, A. and Lenard, H.G.
Magnetoelectrical stimulation of motor cortex in children with motor disturbances (85) 86
Murai, Y., see Uozumi, T. (85) 273
Murray, N.M.F.
The clinical usefulness of magnetic cortical stimulation (85) 81

Nedjat, S., see Masur, H. (85) 321
Nilsson, J., see Panizza, M. (85) 22
Nilsson, J., Panizza, M., Roth, B.J., Basser, P.J., Cohen, L.G., Caruso, G. and Hallett, M.
Determining the site of stimulation during magnetic stimulation of a peripheral nerve (85) 253
Noth, J., see Meyer, B.-U. (85) 197

Oberwittler, C., see Masur, H. (85) 321
Olesen, K.G., see Andreassen, S. (85) 143
Onishi, H., see Saito, T. (85) 337
Oro, J., see Fuhr, P. (85) 53

Panizza, M., see Nilsson, J. (85) 253
Panizza, M., Nilsson, J., Roth, B.J., Basser, P.J. and Hallett, M.
Relevance of stimulus duration for activation of motor and sensory fibers: implications for the study of H-reflexes and magnetic stimulation (85) 22
Pascual-Leone, A., see Roth, B.J. (85) 116
Pascual-Leone, A., see Valls-Solé, J. (85) 355
Pepin, J.L., see Maertens de Noordhout, A. (85) 110
Pfeiffer, G. and Kunze, K.
Turn and phase counts of individual motor unit potentials: correlation and reliability (85) 161
Porter, R., see Schmidt, E.M. (85) 61
Priori, A., see Ferbert, A. (85) 382

Restuccia, D., see Di Lazzaro, V. (85) 311
Reuther, G., see Masur, H. (85) 321
Röricht, S., see Meyer, B.-U. (85) 197
Rosenfalck, A., see Vestergaard-Poulsen, P. (85) 402
Ross, M.A., Leis, A.A., Krain, L. and Mitchell, G.
Normal conduction in pathways traversing an asymptomatic multiple sclerosis plaque (85) 42
Rossi, A., Decchi, B. and Vecchione, V.
Supraspinal influences on recurrent inhibition in humans. Paralysis of descending control of Renshaw cells in patients with mental retardation (85) 419
Roth, B.J., Pascual-Leone, A., Cohen, L.G. and Hallett, M.
The heating of metal electrodes during rapid-rate magnetic stimulation: a possible safety hazard (85) 116
Roth, B.J., see Nilsson, J. (85) 253
Roth, B.J., see Panizza, M. (85) 22
Roth, G., see Magistris, M.R. (85) 124
Rothwell, J.C., see Ferbert, A. (85) 382

Saito, T., Yamada, T., Hasegawa, A., Matsue, Y., Emori, T., Onishi, H. and Fuchigami, T.
Recovery functions of common peroneal, posterior tibial and sural nerve somatosensory evoked potentials (85) 337
Sanes, J.N., see Agostino, R. (85) 190
Sato, Y., see Shimoji, K. (85) 72
Schieppati, M., see Mazzini, L. (85) 183
Schild, J.H., see Deletis, V. (85) 302
Schmidt, E.M., Porter, R. and McIntosh, J.S.
The effects of cooling supplementary motor area and midline cerebral cortex on neuronal responses in area 4 of monkeys (85) 61
Schoenen, J., see Maertens de Noordhout, A. (85) 110
Schönle, P.W., see Haug, B.A. (85) 158
Schubert, M., see Mills, K.R. (85) 17
Seyal, M., Masuoka, L.K. and Browne, J.K.
Suppression of cutaneous perception by magnetic pulse stimulation of the human brain (85) 397
Sherwood, A.M., see Dimitrijević, M.R. (85) 365
Shimoji, K., Sato, Y., Denda, S., Takada, T., Fukuda, S. and Hokari, T.
Slow positive dorsal cord potentials activated by heterosegmental stimuli (85) 72
Sinkjær, T., see Arendt-Nielsen, L. (85) 166
Sinkjær, T., Gantchev, N. and Arendt-Nielsen, L.
Mechanical properties of human ankle extensors after muscle potentiation (85) 412
Sinkjær, T., see Vestergaard-Poulsen, P. (85) 402
Spitzer, A. and Claus, D.
The influence of the shape of mechanical stimuli on muscle stretch reflexes and SEP (85) 331
Stålberg, E., see Dioszeghy, P. (85) 229
Stålberg, E., see Trontelj, J.V. (85) 30
Stephen, J., see Burke, D. (85) 388
Stubgaard, M., see Vestergaard-Poulsen, P. (85) 402
Symon, L., see Liu, X. (85) 209

Takada, T., see Shimoji, K. (85) 72
Thomsen, C., see Vestergaard-Poulsen, P. (85) 402
Tinuper, P., see Montagna, P. (85) 225
Tonali, P., see Di Lazzaro, V. (85) 311
Trontelj, J.V. and Stålberg, E.
Jitter measurement by axonal micro-stimulation. Guidelines and technical notes (85) 30
Tsuji, S., see Uozumi, T. (85) 273

Uozumi, T., Ito, Y., Tsuji, S. and Murai, Y.
Inhibitory period following motor potentials evoked by magnetic cortical stimulation (85) 273

Valls-Solé, J., Pascual-Leone, A., Wassermann, E.M. and Hallett, M.
Human motor evoked responses to paired transcranial magnetic stimuli (85) 355
Van der Linden, C., see Dimitrijević, M.R. (85) 365
Vecchione, V., see Rossi, A. (85) 419
Vestergaard-Poulsen, P., Thomsen, C., Sinkjær, T., Stubgaard, M., Rosenfalck, A. and Henriksen, O.
Simultaneous electromyography and ^{31}P nuclear magnetic resonance spectroscopy — with application to muscle fatigue (85) 402

Walczak, T., see Chokroverty, S. (85) 236
Wassermann, E.M., McShane, L.M., Hallett, M. and Cohen, L.G.
Noninvasive mapping of muscle representations in human motor cortex (85) 1
Wassermann, E.M., see Valls-Solé, J. (85) 355
Weindl, A., see Meyer, B.-U. (85) 197
Weissman, J.D., Epstein, C.M. and Davey, K.R.
Magnetic brain stimulation and brain size: relevance to animal studies (85) 215
Wolfe, D.L., see Hayes, K.C. (85) 102
Wolfe, D.L., see Kasai, T. (85) 95
Woodforth, I., see Burke, D. (85) 388

Yamada, T., see Saito, T. (85) 337
Yiannikas, C., see Lim, C.L. (85) 38

Zaffaroni, M., see Ghezzi, A. (85) 248
Zibetti, A., see Ghezzi, A. (85) 248
Zwarts, M.J.
Central motor conduction in relation to contra- and ipsilateral activation (85) 425

Electroencephalography and clinical Neurophysiology, 85 (1992) 432–435
© 1992 Elsevier Scientific Publishers Ireland, Ltd. 0924-980X/92/$05.00

Index of Subjects

VOLUME 85 (EMG & Motor Control), 1992

(Abstracts from Society Proceedings are not included)

Afferent
– flexion reflexes in spinal cord injury, 102
Afferent volley and facilitation of MEPs, 302
After-potentials
– motoneurone after-potentials and repetitive firing, 345
– motoneurone repetitive doublets, 243
Alpha motoneurone and leg amputation, 53
Amyotrophic lateral sclerosis, 229
Ankle extensor properties after muscle potentiation, 412
Antagonist inhibition during fast movements, 190
Auditory startle reflex criteria in human, 236
Autonomic system and thalamus, 225
Axonal
– jitter measurement by axonal stimulation, 30
– motor axon reflex and indirect double discharge, 124

Blink reflex in multiple sclerosis, 42
Brain size and magnetic stimulation, 215
Brain-stem auditory evoked potentials and multiple sclerosis, 42

Carpal tunnel syndrome
– diagnostic function of an EMG expert system, 143
– neurography in vibration syndrome, 173
Causal probabilistic network
– diagnostic function of an EMG expert system, 143
Central motor conduction
– in cervical spondylotic myelopathy, 311
– in contra- and ipsilateral activation, 425
– monitoring, 388
Cerebello-frontal cortical projections in human, 265
Cerebral blood flow and motor responses, 209
Cervical spondylosis and motor conduction, 311
Children, *see* Infants
Clinical usefulness of magnetic cortical stimulation, 81
Computer-aided diagnosis
– diagnostic function of an EMG expert system, 143
Conditioning
– contralateral influences on triceps surae, 177
– of motor evoked potentials, 95
Conduction
– in contra- and ipsilateral activation, 425
– in vibration syndrome, 173
– monitoring of motor pathway conduction, 388
– muscle length and fatigue, 166
– site of magnetic stimulation, 253
– temperature effects, 229
– usefulness of magnetic stimulation, 81
Controlled facilitation
– MEP facilitation using quantitative surface EMG, 38
Corpus callosum
– reaction times of neck muscles, 183
Cortex
– effects of supplementary motor area cooling, 61
– magnetic excitation of nerve fibre-skull model, 291
– magnetic stimulation in migraine, 110
– *see also* Magnetic brain stimulation
Cortical representation of erector spinae muscle, 382
Corticospinal
– flexion reflexes in spinal cord injury, 102
– magnetic stimulation, 86, 158, 291
– monitoring of motor pathway conduction, 388
– motor responses in Huntington's disease, 197
– nerve fibre-skull model, 291
– silent period with magnetic stimulation, 158
– stimulation of motor cortex in children, 86
Cutaneous perception suppressed by brain stimulation, 397

Demyelination
– temperature effects on nerve conduction parameters, 229
– usefulness of magnetic cortical stimulation, 81
Diabetes and nerve conduction parameters, 229
Diagnosis
– EMG expert system, 143
– silent period with magnetic stimulation, 158
– usefulness of magnetic cortical stimulation, 81

Electrical stimulation
– ankle extensor and muscle potentiation, 412
– effects of magnetic stimulation on MEPs, 248
– of motor and sensory fibres, 22
– relief of hemiparetic spasticity, 131
Electric field, magnetic stimulation and brain size, 215
Electrode heating during magnetic stimulation, 116
Electroneurography in vibration syndrome, 173
EMG
– diagnostic function of an EMG expert system, 143
– fatigue and muscle reflexes, 46
– flexion reflexes in spinal cord injury, 102
– human startle reflex criteria and abnormality, 236
– jitter measurement by axonal stimulation, 30
– MEP facilitation using quantitative surface EMG, 38
– MEPs to transcranial magnetic brain stimulation, 365
– motor axon reflex and indirect double discharge, 124
– motor responses in cortical ischaemia, 209

– motor responses in Huntington's disease, 197
– muscle length, conduction velocity and fatigue, 166
– myokymia in multiple sclerosis, 42
– silent period with magnetic stimulation, 158
– simultaneous EMG and ^{31}P NMR spectroscopy, 402
– turn counts in motor unit potentials, 161
Ephapse
– motor axon reflex and indirect double discharge, 124
Erector spinae muscle cortical projection, 382
Evoked potentials
– human cerebello-frontal cortical projections, 265
– myokymia in multiple sclerosis, 42
– somatosensory, *see* Somatosensory evoked potentials
Excitability
– motor response to paired magnetic stimulation, 355
– of motoneurone pools and magnetic stimulation, 374
Expert system
– diagnostic function of an EMG expert system, 143
Extrapyramidal symptoms
– magnetic stimulation of motor cortex in children, 86
Eye movement maturation, 220

Facial nerve
– effects of magnetic stimulation on motor potentials, 248
Facilitation
– flexion reflexes in spinal cord injury, 102
– motor conduction in contra- and ipsilateral activation, 425
Fast movements and antagonist inhibition, 190
Fatigue
– and muscle reflexes, 46
– simultaneous EMG and ^{31}P NMR spectroscopy, 402
Firing patterns
– and motoneurone after-potentials, 345
– motoneurone repetitive doublets, 243
Flexion reflex
– conditioning of motor evoked potentials, 95
– in spinal cord injury, 102
Frontal cortex
– human cerebello-frontal cortical projections, 265
F wave
– inhibitory period following MEPs, 273

Gating
– recovery function of lower extremity SEPs, 337
Guillain-Barré syndrome
– temperature effects on nerve conduction parameters, 229

Habituation
– human startle reflex criteria and abnormality, 236
Hand muscles
– cortical projection of erector spinae muscle, 382
– neurography in vibration syndrome, 173
Head movements
– reaction times of neck muscles, 183
Hearing
– magnetic coil impulse noise artifact, 280
Hemiparesis
– magnetic stimulation of motor cortex in children, 86
– relief of hemiparetic spasticity by TENS, 131
– silent period with magnetic stimulation, 158
Heterosegmental slow positive cord potential, 72
Hoffmann reflex
– activation of motor and sensory fibres, 22
– contralateral influences on triceps surae, 177
– excitability of motoneurone pools, 374
– motor reorganization after leg amputation, 53
– stretch reflex and SEP, 331
Huntington's disease and motor responses, 197
Hyperekplexia
– human startle reflex criteria and abnormality, 236

Impulse noise artifact, 280
Indirect double discharge and motor axon reflex, 124
Infants
– magnetic stimulation of motor cortex, 86
Inhibitory period following motor evoked potentials, 273
Intermediate latency response
– motor axon reflex and indirect double discharge, 124
Interspike intervals
– motoneurone repetitive doublets, 243
Intracortical inhibition
– motor response to paired magnetic stimulation, 355
Intraoperative monitoring
– motor responses in cortical ischaemia, 209
– of motor pathway conduction, 388
Ischaemia
– motor responses in cortical ischaemia, 209

Jitter measurement by axonal stimulation, 30

Late responses
– excitability of motoneurone pools, 374
Lesions
– sympathetic skin response and thalamus, 225
Long-latency reflexes
– stretch reflex and SEP, 331
Long-loop reflexes in Huntington's disease, 197

Magnetic brain stimulation
– and brain size, 215
– and MEPs, 365
– and suppression of cutaneous perception, 397
– conditioning of MEPs, 95
– cortical projection of erector spinae muscle, 382
– effects on motor potentials, 248
– electrode heating, 116
– excitability of motoneurone pools, 374
– flexion reflexes in spinal cord injury, 102
– human cerebello-frontal cortical projections, 265
– in cervical spondylotic myelopathy, 311
– inhibitory period following MEPs, 273
– in migraine, 110
– magnetic coil impulse noise artifact, 280
– mapping with magnetic stimulation, 1, 9
– MEP facilitation using quantitative surface EMG, 38
– monitoring of motor pathway conduction, 388
– morphological and functional deficits in syringomyelia, 321
– motor conduction in contra- and ipsilateral activation, 425
– motor reorganization after leg amputation, 53
– motor response to paired magnetic stimulation, 355
– motor responses in Huntington's disease, 197
– of motor and sensory fibres, 22
– of motor cortex in children, 86
– of nerve fibre-skull model, 291
– silent period, 158
– site of magnetic stimulation, 253
– usefulness of magnetic cortical stimulation, 81
– with a double coil, 17
Magnetic field and brain size, 215
Magnetic resonance imaging
– in syringomyelia, 321
– myokymia in multiple sclerosis, 42
Magnetic resonance spectroscopy
– simultaneous EMG and ^{31}P NMR spectroscopy, 402

Mapping, *see* Topographic mapping
Maturation
– of eye movements, 220
– *see also* Mental retardation
Mechanical stimulation
– stretch reflex and SEP, 331
Mental retardation
– supraspinal influences on recurrent inhibition, 419
Migraine and cortical magnetic stimulation, 110
Modellization
– magnetic excitation of nerve fibre-skull model, 291
– magnetic stimulation and brain size, 215
– motor axon reflex and indirect double discharge, 124
– site of magnetic stimulation, 253
Monitoring of motor pathway conduction, 388
Monkey
– effects of supplementary motor area cooling, 61
– maturation of eye movements, 220
– motor responses in cortical ischaemia, 209
Motoneurone
– after-potentials and repetitive firing, 345
– excitability and magnetic stimulation, 374
– repetitive doublets, 243
– supraspinal influences on recurrent inhibition, 419
Motor axon reflex and indirect double discharge, 124
Motor control
– human cerebello-frontal cortical projections, 265
– motoneurone after-potentials and repetitive firing, 345
– relief of hemiparetic spasticity, 131
Motor cortex
– and syringomyelia, 321
– conditioning of MEPs, 95
– cortical projection of erector spinae muscle, 382
– effects of supplementary motor area cooling, 61
– facilitation of MEPs by afferent stimulation, 302
– inhibitory period following MEPs, 273
– mapping, 1, 9
– monitoring of motor pathway conduction, 388
– reorganization after leg amputation, 53
– responses in cortical ischaemia, 209
– *see also* Magnetic brain stimulation
– *see also* Supplementary motor cortex
Motor disturbance
– magnetic stimulation of motor cortex in children, 86
Motor evoked potentials
– conditioning of motor evoked potentials, 95
– cortical magnetic stimulation in migraine, 110
– flexion reflexes in spinal cord injury, 102
– in contra- and ipsilateral activation, 425
– inhibitory period following motor evoked potentials, 273
– MEP facilitation, 38, 302
– motor cortex mapping, 1, 9
– motor responses in Huntington's disease, 197
– to transcranial magnetic brain stimulation, 81, 365
Motor fibre activation, 22
Motor neurone disease
– temperature effects on nerve conduction parameters, 229
– usefulness of magnetic cortical stimulation, 81
Motor pathways
– monitoring of motor pathway conduction, 388
– motor reorganization after leg amputation, 53
Motor potential
– effects of magnetic stimulation, 248
– turn counts in motor unit potentials, 161
Motor representation and magnetic stimulation, 1
Movement
– antagonist inhibition during fast movements, 190
– effects of supplementary motor area cooling, 61
– recovery function of lower extremity SEPs, 337
Multiple sclerosis and myokymia, 42
Muscle
– ankle extensor properties after muscle potentiation, 412
– antagonist inhibition during fast movements, 190
– diagnostic function of an EMG expert system, 143
– effects of magnetic stimulation on motor potentials, 248
– fatigue and muscle reflexes, 46
– inhibitory period following motor evoked potentials, 273
– motor conduction in contra- and ipsilateral activation, 425
– muscle length, conduction velocity and fatigue, 166
– reaction times of neck muscles, 183
– simultaneous EMG and ^{31}P NMR spectroscopy, 402
Myasthenia gravis
– jitter measurement by axonal stimulation, 30
Myelopathy
– conditioning of motor evoked potentials, 95
– motor conduction in cervical spondylosis, 311
Myokymia in multiple sclerosis, 42
Myopathy
– turn counts in motor unit potentials, 161

Nerve
– diagnostic function of an EMG expert system, 143
– magnetic excitation of nerve fibre-skull model, 291
– site of magnetic stimulation, 253
– temperature effects on nerve conduction parameters, 229
– *see also* Conduction time
Neurography
– motor axon reflex and indirect double discharge, 124
Neuromuscular transmission
– jitter measurement by axonal stimulation, 30
Neuronal activity
– effects of supplementary motor area cooling, 61
– heterosegmental slow positive cord potential, 72
Neuropathy
– diagnostic function of an EMG expert system, 143
– neurography in vibration syndrome, 173
– turn counts in motor unit potentials, 161
– usefulness of magnetic cortical stimulation, 81
Normal human subjects
– activation of motor and sensory fibres, 22
– ankle extensor properties after muscle potentiation, 412
– antagonist inhibition during fast movements, 190
– conditioning of motor evoked potentials, 95
– contralateral influences on triceps surae, 177
– cortical projection of erector spinae muscle, 382
– effects of magnetic stimulation on motor potentials, 248
– excitability of motoneurone pools, 374
– facilitation of MEPs by afferent stimulation, 302
– human cerebello-frontal cortical projections, 265
– human startle reflex criteria and abnormality, 236
– magnetic brain stimulation with a double coil, 17
– mapping with magnetic stimulation, 1
– MEPs to transcranial magnetic brain stimulation, 365
– motoneurone after-potentials and repetitive firing, 345
– motoneurone repetitive doublets, 243
– motor conduction in contra- and ipsilateral activation, 425
– motor cortex mapping, 9
– motor response to paired magnetic stimulation, 355
– muscle length, conduction velocity and fatigue, 166
– reaction time of neck muscles, 183
– recovery function of lower extremity SEPs, 337
– silent period with magnetic stimulation, 158
– simultaneous EMG and ^{31}P NMR spectroscopy, 402
– site of magnetic stimulation, 253

– stretch reflex and SEP, 331
– suppression of cutaneous perception, 397

Paired stimulation and motor response, 355
Parkinsonism
– silent period with magnetic stimulation, 158
Peak activity
– antagonist inhibition during fast movements, 190
Perception suppressed by brain stimulation, 397
Peroneal nerve
– recovery function of lower extremity SEPs, 337
Phase
– turn counts in motor unit potentials, 161
Phenytoin
– temperature effects on nerve conduction parameters, 229
Phosphorus metabolism
– simultaneous EMG and ^{31}P NMR spectroscopy, 402
Plasticity
– motor reorganization after leg amputation, 53
Post-excitatory inhibition and magnetic stimulation, 158
Post-tetanic potentiation and ankle extensor properties, 412
Posture
– supraspinal influences on recurrent inhibition, 419
Propagation
– muscle length, conduction velocity and fatigue, 166
Pyramidal tract and cortical ischaemia, 209

Quantitative EMG
– turn counts in motor unit potentials, 161

Rat
– heterosegmental slow positive cord potential, 72
Rate effect
– electrode heating during magnetic stimulation, 116
Reaction time of neck muscles, 183
Recovery function
– contralateral influences on triceps surae, 177
– motoneurone after-potentials and repetitive firing, 345
– recovery function of lower extremity SEPs, 337
Recruitment pattern
– motoneurone repetitive doublets, 243
Recurrent inhibition and supraspinal influences, 419
Reflexes
– relief of hemiparetic spasticity by TENS, 131
Repetitive doublets of motoneurones, 243

Saccade
– maturation of eye movements, 220
Safety
– electrode heating during magnetic stimulation, 116
Scoliosis
– monitoring of motor pathway conduction, 388
Sensorimotor integration
– facilitation of MEPs by afferent stimulation, 302
Sensory fibre activation, 22
Silent period with magnetic stimulation, 158
Single motor unit repetitive doublets, 243
Skull-nerve fibre model, 291
Slow positive cord potential, 72
Society proceedings
– American, Vancouver, September 1991, 1P
Somatosensory conduction, *see* Conduction
Somatosensory evoked potentials
– and stretch reflex, 331
– functional deficits in syringomyelia, 321
– recovery function of lower extremity SEPs, 337
Spasticity
– inhibitory period following motor evoked potentials, 273
– relief of hemiparetic spasticity by TENS, 131
Spinal cord
– conditioning of motor evoked potentials, 95
– heterosegmental slow positive cord potential, 72
– monitoring of motor pathway conduction, 388
– morphological and functional deficits in syringomyelia, 321
– motor conduction in cervical spondylotic myelopathy, 311
– reinforcement of flexion reflexes in spinal cord injury, 102
Spinal motoneurones
– excitability of motoneurone pools, 374
– motor response to paired magnetic stimulation, 355
Spinal reflexes
– contralateral influences on triceps surae, 177
Spindle afferents
– stretch reflex and SEP, 331
Splenius muscle reaction time, 183
Startle reflex criteria in human, 236
Sternocleidomastoid muscle reaction time, 183
Stiffness
– ankle extensor properties after muscle potentiation, 412
Stimulus duration
– activation of motor and sensory fibres, 22
Stretch reflex and SEP, 331
Supplementary motor cortex cooling, 61
Supraspinal influences on recurrent inhibition, 419
Sural nerve recovery function, 337
Sympathetic skin response and thalamus, 225
Syringomyelia
– morphological and functional deficits, 321

Temperature effects on nerve conduction parameters, 229
Thalamus and sympathetic skin response, 225
Threshold
– activation of motor and sensory fibres, 22
Tibial nerve
– contralateral influences on triceps surae, 177
– recovery function of lower extremity SEPs, 337
Topographic mapping
– of motor cortex, 9
– with magnetic stimulation, 1
Transcutaneous electrical nerve stimulation
– relief of hemiparetic spasticity, 131
Turn counts in motor unit potentials, 161

Upper motor neurone syndrome
– magnetic stimulation of motor cortex in children, 86

Vibration syndrome and neurography, 173
Virtual cathode
– site of magnetic stimulation, 253
Volume conduction
– magnetic excitation of nerve fibre-skull model, 291
Voluntary contraction
– antagonist inhibition during fast movements, 190
– fatigue and muscle reflexes, 46
– MEP facilitation using quantitative surface EMG, 38
– muscle length, conduction velocity and fatigue, 166
Voluntary movement
– supraspinal influences on recurrent inhibition, 419
V1 wave
– inhibitory period following motor evoked potentials, 273

Wakefulness
– maturation of eye movements, 220
Wide dynamic range neurone
– heterosegmental slow positive cord potential, 72

Yielding
– ankle extensor properties after muscle potentiation, 412